



220kVA Perkins Diesel Generator Standby Power 1106A-70TAG4 50Hz

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT-PERKINS
- Certification: CE ISO
- Model Number: DE-P220
- Minimum Order Quantity: 1PC
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: Perkins Diesel Engine Generator
- Brand: Perkins
- Cooling System: Water Cooling
- Frequency: 50HZ
- Alternator: Alternator
- Phase: Three Phase
- Type: Diesel Generator
- Controller: Smartgen DSE
- Engine Model: 1106A-70TAG4
- Prime Power: 160kVA/200kW
- Standby Power: 176kVA/220kW
- Highlight: **220kVA Perkins Diesel Generator, ISO Perkins Diesel Engine Generator, Perkins 1106A-70TAG4**

for more products please visit us on dellentpower.com

Product Description

1106A-70TAG4 50Hz 220kVA Standby Power Perkins Diesel Generator Set

High: Commercial Perkins 220kVA Generator , 1106A-70TAG4 Engine Diesel Generator ,
 Light: CE Perkins 220kva Generator ,50HZ

.PRODUCT DESCRIPTION

1106A-70TAG4 50Hz 220kVA Standby Power Perkins Diesel Generator Set

Product Introduce: Dellent Power Perkins Series generator powered by the original Perkins engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.



Product parameters:

Specification:

Model		DE-P220
Max. Power	kVA	220
	kW	176
Rate Power	kVA	200
	kW	160
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	288.7
Fuel Tank Capacity	L	300

Specification of Perkins Diesel Engine:

Engine Manufacturer	Perkins
Engine Brand	Perkins
Engine Model	1106A-70TAG4
No. of Cylinder	6 Cylinder in line
Aspiration	Turbocharged and Air to Air Aftercooled
Governor	Electric

Engine Max. Output Power	kW	196.3
Displacement	L	7.0
Compression Ratio		16.0 : 1
Starting Voltage	V	12
Bore	mm	105
Stroke	mm	135
Lubrication Oil Capacity	L	16.5
Intake Air Flow	M3/Min	9.4
Fuel Consumption at 100% Load	L/H	45.8

Specification of Control Panel :

Control Panel Specification	
Controller Brand	Smartgen
Breaker Brand	Delixi
Breaker Capacity (A)	400
Emergency Stop Button	Supply
Automatic Mains Fail (AMF)	Supply
Fuel Level	Supply
Automatic Transfer Switch	ATS as optional part
The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).	
Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.	

. Why Choose Us:

Dedicated

We are DEDICATED to meet Customers' need.

Enthusiasm

We respond to our Customers' ENTHUSIASM

Loyalty

We cherish our Customers' LOYALTY

Luxury

We aim to establish our own LUXURY brand

Efficient

We offer our EFFICIENT service

Newest

We adopt NEWEST technologies for products

Trust

We strive for winning the TRUST from Customers

. QUALIFICATION CENTIFICATE:



. FACTORY INTERIOR:



Advantages:

Advanced Safety Features: Our generator is equipped with advanced safety features such as low oil pressure shutdown, high coolant temperature shutdown, and over/under voltage protection. These features ensure that your generator operates safely and protects against damage to critical components.

High Efficiency: Our generator with Perkins engine is designed to provide high efficiency and low fuel consumption, which can save you money in the long run. With its advanced control system, this generator can adjust its output according to the load demand, ensuring that it operates at maximum efficiency at all times.

If you need Perkins generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDE CITY,FUJIAN,CHINA